

EAST SEARCH

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S72 | 188 | (select\$4 choos\$4) near5 message near3 download\$ | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:53 |
| S73 | 9 | (select\$4 choos\$4) near5 message near3 download\$ same notification | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:49 |
| S74 | 9 | (select\$4 choos\$4) with message near3 download\$ same notification | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:49 |
| S75 | 22 | (select\$4 choos\$4) with message with download\$ same notification | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:49 |
| S76 | 13 | S75 not S74 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:53 |
| S77 | 0 | select\$4 near2 which near2 message near3 download | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:53 |
| S78 | 0 | select\$4 near2 which near2 message with download | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:53 |
| S79 | 111 | (select\$4 choos\$4) near5 message near3 download\$ and (@ad<"20001220" or @rlad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:54 |
| S80 | 111 | (select\$4 choos\$4) near5 message near3 download\$ and (@ad<"20001220" or @rlad<"20001220") not nokia.as. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:54 |
| S81 | 2 | (select\$4 choos\$4) near5 message near3 download\$ same notif\$6 and (@ad<"20001220" or @rlad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:55 |
| S82 | 5 | (select\$4 choos\$4) near5 (message email e-mail mail) near3 download\$ same notif\$6 and (@ad<"20001220" or @rlad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:56 |

| | | | | | | |
|-----|------|---|------------------------------------|----|----|------------------|
| S83 | 12 | (select\$4 choos\$4) near5 (message email e-mail mail) with download\$ same notif\$6 and (@ad<"20001220" or @rlad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:58 |
| S84 | 7 | S83 not S82 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:56 |
| S85 | 1 | (decid\$4) near5 (message email e-mail mail) with download\$ same notif\$6 and (@ad<"20001220" or @rlad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:59 |
| S86 | 1399 | (select\$4 choose\$4 decid\$4) near5 (message email e-mail mail) same notif\$6 and (@ad<"20001220" or @rlad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:59 |
| S87 | 394 | (select\$4 choose\$4 decid\$4) near5 (message email e-mail mail) with receiv\$4 same notif\$6 and (@ad<"20001220" or @rlad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:59 |
| S88 | 274 | (select\$4 choose\$4 decid\$4) near3 (message email e-mail mail) with receiv\$4 same notif\$6 and (@ad<"20001220" or @rlad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 16:59 |
| S89 | 48 | (select\$4 choose\$4 decid\$4) near3 (message email e-mail mail) with receiv\$4 same notif\$6 and (@ad<"20001220" or @rlad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:00 |
| S90 | 33 | (select\$4 choose\$4 decid\$4) near3 (message email e-mail mail) with receiv\$4 same notif\$6 and (@ad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:06 |
| S91 | 11 | (select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with filter\$4 same notif\$6 and (@ad<"20001220") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:09 |
| S92 | 4 | (select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with filter\$4 with notif\$6 and (@ad<"20001220") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:10 |

| | | | | | | |
|----------|-----|---|------------------------------------|----|----|------------------|
| S93 | 163 | (select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with notif\$6 and (@ad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:10 |
| S94 | 0 | (select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with notif\$6 with limit\$6 and (@ad<"20001220") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:12 |
| S95 | 0 | (select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with notif\$6 with (restrict\$4 reduce reduced reducing) and (@ad<"20001220") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:13 |
| S96 | 79 | (select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with (restrict\$4 reduce reduced reducing) and (@ad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:13 |
| S97 | 1 | (select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with (restrict\$4 reduce reduced reducing) same notif\$6 and (@ad<"20001220") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:14 |
| S98 | 1 | (select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with (restrict\$4 reduce reduced reducing narrow\$4) same notif\$6 and (@ad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:14 |
| S99 | 108 | (message email e-mail mail) with (limit\$6 restrict\$4 reduce reduced reducing narrow\$3) same notif\$6 and (@ad<"20001220") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:15 |
| S10 0 | 108 | (message email e-mail mail) with (limit\$6 restrict\$4 reduce reduced reducing narrow\$3) same notif\$6 and notif\$6 and (@ad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:15 |
| S10 1 | 40 | (message email e-mail mail) with (limit\$6 restrict\$4 reduce reduced reducing narrow\$3) with notif\$6 and (@ad<"20001220") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:16 |

| | | | | | | |
|----------|---------|--|---|----|----|------------------|
| S10 2 | 14 | (message email e-mail mail) with filter\$4 with notif\$6 and (@ad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:36 |
| S10 3 | 5 | (download\$4) with (message email e-mail mail) with received with notif\$6 and (@ad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:37 |
| S10 4 | 0 | (message email e-mail mail) same ("not" adj received) with notif\$6 and (@ad<"20001220") and "709". clas. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:38 |
| S10 5 | 0 | (message email e-mail mail) same ("not" adj received) with notif\$6 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:38 |
| S10 6 | 0 | (message email e-mail mail) same ("not" adj received) and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:38 |
| S10 7 | 0 | (message email e-mail mail) same ("not" near4 received) and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:38 |
| S10 8 | 22 | (message email e-mail mail) same (has near4 received) and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:39 |
| S10 9 | 0 | (message email e-mail mail) same (has near4 received) same notif\$6 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:38 |
| S11 0 | 451 | (message email e-mail mail) same (still near4 received) and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:40 |
| S11 1 | 28 | (message email e-mail mail) same (still near4 received) same notif\$6 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:43 |
| S11 2 | 0 | (message email e-mail mail) same ('not' near4 received) same notif\$6 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:42 |
| S11 3 | 1657268 | 'not' | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:42 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S11 4 | 0 | 'not' near received | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:42 |
| S11 5 | 1 | 'not' with received | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:42 |
| S11 6 | 1862 | (message email e-mail mail) same (received) with notif\$6 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/27 17:43 |
| S11 7 | 14 | (message email e-mail mail) same (received) same ((filter\$4) with already with (received notif\$6)) and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 16:52 |
| S11 8 | 14 | (message email e-mail mail) same (received) same ((filter\$4) with (notif\$6)) and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:21 |
| S11 9 | 737 | notif\$6 with new with (message email e-mail mail) and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:22 |
| S12 0 | 161 | notif\$6 with new with (message email e-mail mail) with receiv\$4 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:22 |
| S12 1 | 71 | notif\$6 with new adj (message email e-mail mail) with receiv\$4 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:23 |
| S12 2 | 0 | notif\$6 with only adj new adj (message email e-mail mail) with receiv\$4 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:23 |
| S12 3 | 3 | notif\$6 with only with new adj (message email e-mail mail) with receiv\$4 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:23 |
| S12 4 | 67 | notif\$6 with new adj (message email e-mail) with receiv\$4 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:24 |
| S12 5 | 14 | notif\$6 with new adj (email e-mail) with receiv\$4 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:29 |

| | | | | | | |
|----------|----|---|---|----|----|------------------|
| S12 6 | 5 | download\$5 with new adj (email e-mail) with receiv\$4 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:31 |
| S12 7 | 11 | check\$3 with new adj (email e-mail) with receiv\$4 and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:53 |
| S12 8 | 52 | check\$3 with new adj (email e-mail) and (@ad<"20001220") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:53 |
| S12 9 | 41 | S128 not S127 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:57 |
| S13 0 | 1 | "6400810".pn. and new | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/10/28 17:57 |